

## **AMENDMENTS TO THE CLAIMS**

Please cancel Claims 6-16 without prejudice.

### **LISTING OF CLAIMS**

1. (previously presented) A client server system for supplying information to client terminals, the client server system comprising:

an exclusive server storing information therein;

means for specifying the client terminal by a code identifying a maker of the client terminal, the code being sent from the client terminal to the exclusive server; and

means for supplying information stored in the exclusive server only to the specified client terminal.

2. (original) The client server system as in claim 1, wherein:  
the supplying means rejects access to the exclusive server against an unspecified client terminal.

3. (original) The client server system as in claim 1, wherein:  
the exclusive server stores information exclusive to the specified client terminals and public information; and  
the supplying means supplies the exclusive information only to the specified client terminals, while supplying the public information to any client terminals.

4. (original) The client server system as in claim 1, wherein:

the client terminals are mobile phones which are able to communicate with the exclusive server via a provider's server administered by a telephone service provider;

the mobile phone sends the maker-identifying code and another code identifying the provider to the provider's server;

a data format including both identifying codes is sent from the provider's server to the exclusive server; and

the exclusive server supplies the information stored therein to the mobile phone only when both codes are justified as codes correctly identifying the maker and the provider.

5. (previously presented) The client server system as in claim 4, wherein:

the data format sent from the provider's server to the exclusive server consists of a header field having a predetermined format and a data field in which data are arbitrarily written; and,

of both codes, at least the maker-identifying code is contained in the data field.

6.-16. (cancelled)

17. (previously presented) A client terminal in a client server system, the client terminal being adapted to have access to a specified server to download specified contents stored in the specified server, the client terminal comprising:

a memory storing a code identifying a maker of the client terminal; and  
means for transmitting the code to the specified server that permits  
downloading the specified contents to the client terminal only when the code coincides  
with a predetermined code.